

CARRIAGE HOUSE STEEL



Springfield panel, Custom painted after installation, Framed Insert Stockbridge windows

DOOR FEATURES

Joint Seals


Snug fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Durable DecaTrim™ II Overlays

These overlay boards are specially treated to resist termites, weather and fungal decay.

Foamed-in-place polyurethane insulation

Provides an R-value* of 12.12.



- **High Cycle Spring Option**

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

- **Heavy Duty Hinges**

Attractive 14-gauge heavy duty hinges provide maximum strength between sections, stability and smoother door operation.

- **Quiet Rollers**

Ball-bearing rollers with nylon wheels and solid steel shafts provide years of smooth, quiet and dependable service.

- **Windsafe®**



Available with optional hardware and reinforcement for high-wind regions. Please consult your dealer for details.

- **Limited Lifetime Warranty**

See full text of warranty for details.




*Wayne Dalton uses a calculated door section R-value for our insulated doors.

1 Choose Your Style


All door top sections are available in arched or square designs.

Double car door designs are equivalent to 2 single-car doors side by side.


Square Top




Arlington




Ashburn




Brunswick




Lexington




Richmond




Savannah




Somerset




Springfield



Bellview




Kingston




Westfield


Arched Top (windows not available with arched top overlay designs)




Arlington




Ashburn




Brunswick




Lexington




Richmond




Savannah




Somerset




Springfield



Bellview



Kingston



Westfield

2 Choose Your Overlay Texture


DecaTrim™ II Overlay Texture Options



Smooth



Wood Grain



3 Choose Your Color

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching before ordering your door.

DecaTrim™ II overlays are provided in White only. For a two-toned look, choose from, Almond, Taupe, Terra Bronze, Brown or Black as shown below.



White/White



Almond/White



Taupe/White



Terra Bronze/White



Brown/White



Black/White

4 Choose Your Windows

Window patterns are shown for an 8' wide single-car door. Spacing of windows may change depending on door size. Not all windows are available in all door sizes.

Routed windows

Doors built with the Routed windows use a clean top section design where the wood overlay is routed from a wood face panel.

Only available with smooth overlay trim.



Clear Long



Stockton



Somerton



Stockton Arch



Stockbridge



Wyndbridge

Framed Insert windows

Doors with Framed Insert windows use a classic wood door design with the top section constructed from wood overlay boards.

Available for both smooth and wood grain overlays.



Clear Long



Stockton



Somerton



Stockton Arch



Stockbridge



Wyndbridge

5 Choose Your Hardware



Arrow



Spear




Fleur De Lis



See website for additional hardware options.

AFTER

BEFORE



Bellview Arched panel, Brown/White finish, Decorative hardware



Garage Door Design Center

To see this door on your home, visit **wayne-dalton.com**, or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.

Wayne Dalton
GARAGE DOORS

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200
Lewisville, TX 75067

wayne-dalton.com



© 2020 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1219 08/20